



EAgro

www.eagrokft.hu

**MAGYAR MEZŐGAZDASÁGI
MEGOLDÁSOK ÖNNEK!**



Cultivation Rollers Cambridge 3-hydraulic cylinder (WP3S)		
Working width (m)	5	6,2
Cambridge fi 500	5150 euro	5550 euro
Cambridge fi 530	5500 euro	6340 euro
Cambridge fi 600	7290 euro	7860 euro
Drag spring hydraulically controlled	+2455 euro	+2765 euro
Hook straight/bar	Standard	
Hydraulic folding/unfolding	Standard	
Transport security	Standard	
Support foot	Standard	
Wheels 10/75-15,3	Standard	
Wheels 400/60-15,5	+335 euro	
Hydroakumulator	+220 euro	
Parking support	+80 euro	
Light	+65 euro	
Light LED	+200 euro	
Warning! Version with Cambridge fi 600 -- Wheels 400/60-15,5 are standard.		



Cultivation Rollers Cambridge 1-hydraulic cylinder (WUC)		
Working width (m)	5	6,2
Cambridge fi 500	4670 euro	5145 euro
Cambridge fi 530	4980 euro	5550 euro
Support foot	Standard	
Hydraulic folding/unfolding	Standard	
Transport security	Standard	
Light	+65 euro	
Light LED	+200 euro	

Cultivation Roller Cambridge (WUC)		
Working width (m)	7,5	9
Cambridge fi 500	5765 euro	7860 euro
Cambridge fi 530	6550 euro	8910 euro
Cambridge fi 600	8120 euro	9955 euro
Support foot	Standard	
Hydraulic folding/unfolding	Standard	
Transport security	Standard	
Light	+65 euro	
Light LED	+200 euro	



Cultivation Rollers Cambridge Mounted (WUC)		
Working width (m)	3	3,4
Cambridge fi 500	1955 euro	2120 euro
Cambridge fi 530	2265 euro	2405 euro



Cultivation rollers cambridge TUZ (WP)		
Working width (m)	3	3,4
Cambridge fi 500	2215 euro	2360 euro
Cambridge fi 530	2430 euro	2690 euro
Cambridge fi 600	3145 euro	3480 euro
Drag spring hydraulically controlled	+1310 euro	
Support foot	Standard	



Crushing rollers mounted (KW)					
Working width (m)	4	4,5	5	6	7
Crosskill fi 370	3100 euro	3340 euro	3575 euro	3810 euro	4290 euro
Cambridge fi 450	3215 euro	3455 euro	3690 euro	4170 euro	4645 euro
Cambridge fi 500	3340 euro	3575 euro	3810 euro	4290 euro	4765 euro
Hydraulic folding/unfolding	Standard				
Transport security	Standard				
Support foot	Standard				



Disc Cultivator plus hydropack (AT)				
Working width (m)	2,5	2,7	3	4
Disc Cultivator: discs fi 510, Tabular Roller fi 500 and Hydropack, rubber protection 40x180mm, distance between disk 750mm	3100 euro	3265 euro	3620 euro	4530 euro
Discs fi 560	+75 euro	+100 euro	+120 euro	+170 euro
Discs fi 560 thicker	+310 euro	+360 euro	+410 euro	+525 euro
Discs OFAS	To be agreed			
Adjustable side screens	Standard			
Maintenance-free hubs	Standard			
Spring Roller fi 510	+360 euro	+405 euro	+405 euro	+810 euro
Packer Roller fi 510	+405 euro	+455 euro	+455 euro	+930 euro
Crosskill Roller fi 370	+715 euro	+790 euro	+790 euro	+1150 euro
Chevron Roller fi 600	+575 euro	+670 euro	+670 euro	+1050 euro
C-profile Roller fi 540	+575 euro	+670 euro	+670 euro	+1050 euro
Rubben Roller fi 500	+980 euro	+1100 euro	+1100 euro	+1430 euro
FKL HUBS	+600 euro	+645 euro	+715 euro	+955 euro
SKF HUBS	+600 euro	+645 euro	+715 euro	+955 euro
Version without hydropack	-300 euro			
Seeder rack	+110 euro			
Hydraulic adjustment of working dep	+360 euro			+525 euro
Transport truck with a drawbar (version without hydropack)	+2750 euro			



Disc Harrow Hydraulically (ATH)				
Working width (m)	4	4,5	5	6
Disc Harrow: discs fi 560 and Tabular Roller fi 500, rubber protection 40x180mm, distance between disk	5910 euro	6195 euro	6480 euro	8100 euro
Discs fi 560 thicker	+360 euro	+420 euro	+480 euro	+600 euro
Discs fi 610 thicker (more than transport size 3meter)	+835 euro	+990 euro	+1145 euro	+1455 euro
Discs OFAS	To be agreed			
Hydraulic folding/unfolding	Standard			
Adjustable side screens	Standard			
Maintenance-free hubs	Standard			
Spring Roller fi 510	+790 euro	+905 euro	+1000 Euro	+1240 euro
Packer Roller fi 510	+930 euro	+1050 euro	+1170 euro	+1405 euro
Crosskill Roller fi 370	+1075 euro	+1170 euro	+1310 euro	+1575 euro
Chevron Roller fi 600	+835 euro	+930 euro	+1050 euro	+1240 euro
C-profile Roller fi 540	+835 euro	+930 euro	+1050 euro	+1240 euro
Rubben Roller fi 500	+1405 euro	+1500 euro	+1575 euro	+1880 euro
Disc Roller DD fi 600	+1525 euro	+1715 euro	+1910 euro	+2265 euro
Tandem Roller C-profile fi 540	+1905 euro	+2145 euro	+2385 euro	+2860 euro
FKL HUBS	+955 euro	+1075 euro	+1195 euro	+1430 euro
SKF HUBS	+955 euro	+1075 euro	+1195 euro	+1430 euro
Transport truck with a drawbar	+2740 euro			
Wheels 400/60-15,5	+340 euro			
Hydraulic adjustment of working depth	+530 euro			
Rows of spring tines	+480 euro	+525 euro	+575 euro	+670 euro
Light	+65 euro			
Light LED	+200 euro			
Fenders for Wheels 400/60-15,5	+290 euro			
Stabilizing Wheels	+840 euro			




Disc Cultivator Trailed (ATO)				
Working width (m)	2,5	2,7	3	4
Disc Cultivator Trailed: discs fi 510, Wheel Roller fi 640 and Hydropack, rubber protection 40x180mm, distance between disk 750mm	6430 euro	6810 euro	7385 euro	9600 euro
Discs fi 560	+75 euro	+100 euro	+120 euro	+170 euro
Discs fi 560 thicker	+310 euro	+360 euro	+405 euro	+535 euro
Discs OFAS	To be agreed			
Hydraulic adjustment of working depth	Standard			
Adjustable side screens	Standard			
Maintenance-free hubs	Standard			
FKL HUBS	+600 euro	+645 euro	+715 euro	+955 euro
SKF HUBS	+600 euro	+645 euro	+715 euro	+955 euro
Version without hydropack	-300 euro			
Drag spring hydraulically controlled	+930 euro	+1000 euro	+1075 euro	+1335 euro



Multi-task Cultivator (KWT)			
Working width (m)	2,7	3	4
No. Of tines (pcs.)	5	5	7
Cultivator with spring protection	2620 euro	2860 euro	4290 euro
Side Cuts	+135 euro		
Hydraulic Back Coupler to the machine	Standard		
Support foot	Standard		



Disc Cultivator Regulation Angle (AUT)			
Working width (m)	2,7	3	4
Aggregate: discs fi 510, Tabular Roller fi 500, spring protection	3980 euro	4195 euro	5335 euro
Discs fi 560	+100 euro	+120 euro	+170 euro
Discs fi 560 thicker	+360 euro	+410 euro	+530 euro
Discs OFAS	To be agreed		
Maintenance-free hubs	Standard		
Spring roller fi 510	+410 euro	+410 euro	+810 euro
Packer roller fi 510	+455 euro	+455 euro	+930 euro
Crosskill roller fi 370	+790 euro	+790 euro	+1145 euro
Chevron roller fi 600	+670 euro	+670 euro	+1050 euro
C-profile roller fi 540	+670 euro	+670 euro	+1050 euro
Rubben roller fi 500	+1100 euro	+1100 euro	+1430 euro
FKL HUBS	+645 euro	+720euro	+955 euro
SKF HUBS	+645 euro	+715 euro	+955 euro



Cultivating and Sowing Aggregate (AUS)				
Working width (m)	2,5	2,7	3	4
Aggregate: Cage Front Roller, 2 rows of tines and back tabular roller fi 500	2265 euro	2335 euro	2405 euro	2860 euro
Seeder rack	Standard			
Spring Roller fi 510	+360 euro	+405 euro	+405 euro	+810 euro
Packer Roller fi 510	+405 euro	+455 euro	+455 euro	+930 euro
Crosskill Roller fi 370	+715 euro	+790 euro	+790 euro	+1145 euro
Rubben Roller fi 500	+980 euro	+1100 euro	+1100 euro	+1430 euro



Cultivating Aggregate (AU)				
Working width (m)	3,6	4,2	5	5,6
Aggregate: cage front roller, 4 rows of tines and 2 rows of thoothed cage rollers	4170 euro	4290 euro	5000 euro	5600 euro
Hydraulic folding/unfolding	Standard			
Front Drag Spring	+360 euro			



Compact Cultivating Aggregate (KAU)			
Working width (m)	4	5	6
Aggregate: Duckfoot Tines, 3pcs. leveling Slat Cage Front Roller i Back Crosskill Roller fi 370	8340 euro	9170 euro	10480 euro
Hydraulic folding/unfolding	Standard		
Transport security	Standard		
Back Roller Tandem Crosskill fi 370	+790 euro	+905 euro	+1050 euro
Back Roller Tandem C-profile fi 540	+715 euro	+955 euro	+1195 euro
Transport truck with a drawbar, Wheels 400/60-15,5	+3100 euro		
Transport truck with a drawbar and Hydropack, Wheels 400/60-15,5	+3575 euro		
Track Eradicator (Version with Transport truck with a drawbar)	+645 euro		
Light	+65 euro		
Light LED	+200 euro		



Cultivating and Skimming Aggregate (KUS)			
Working width (m)	4	5	6
Aggregate: 4 rows of tines 70x12mm cutters 60mm and Tabular Roller fi 500	4980 euro	5340 euro	6145 euro
Aggregate: 4 rows of tines 70x12mm duckfoot tines 180mm and Tabular Roller fi 500	5190 euro	5575 euro	6405 euro
Hydraulic folding/unfolding	standard		
Transport security	standard		
Spring Roller fi 510	+790 euro	+1000 euro	+1240 euro
Packer Roller fi 510	+930 euro	+1170 euro	+1405 euro
Crosskill Roller fi 370	+1075 euro	+1310 euro	+1575 euro
Chevron Roller fi 600	+835 euro	+1050 euro	+1240 euro
C-profile Roller fi 540	+835 euro	+1050 euro	+1240 euro
Rubben Roller fi 500	+1405 euro	+1575 euro	+1880 euro
Tandem Roller (Flat and Tabular fi 400)	+835 euro	+955 euro	+1050 euro
Tandem Roller C-profile fi 540	+1905 euro	+2385 euro	+2860 euro
Rows of spring tines	+480 euro	+575 euro	+670 euro
Hydraulic adjustment of working depth	+525 euro		
Light	+65 euro		
Light LED	+200 euro		



Skimming Aggregate (ASG)		
Working width (m)	2,2	3
Aggregate with shear bolt protection and Tabular Roller fi 500	2385 euro	2980 euro
Aggregate with spring protection and Tabular Roller fi 500	2980 euro	3740 euro
Coulter typ Lemken (Smaragd)	Standard	
Spring Roller fi 510	+335 euro	+405 euro
Packer Roller fi 510	+360 euro	+455 euro
Crosskill Roller fi 370	+575 euro	+790 euro
Chevron Roller fi 600	+550 euro	+620 euro
Rubben Roller fi 500	+715 euro	+1100 euro



PLOUGHING AGGREGATE (ABO)				
Working width (m)	2,5	3	3,5	4
Aggregate with spring protection, 3rows coulter, 1row discs and Tabular Roller fi 500	4405 euro	4885 euro	5360 euro	5835 euro
Coulter typ Kongskilde (Delta) or Horsch (Kret)	Standard			
Hydraulic adjustment of discs	Standard			
Additional row discs	+480 euro	+575 euro	+670 euro	+765 euro
Spring Roller fi 510	+360 euro	+405 euro	+620 euro	+810 euro
Packer Roller fi 510	+405 euro	+455 euro	+695 euro	+930 euro
Crosskill Roller fi 370	+715 euro	+790 euro	+980 euro	+1145 euro
Chevron Roller fi 600	+575 euro	+670 euro	+860 euro	+1050 euro
C-profile Roller fi 540	+575 euro	+670 euro	+860 euro	+1050 euro
Rubben Roller fi 500	+980 euro	+1100 euro	+1290 euro	+1430 euro
Drawbar and Wheel Roller fi 640 (semi-mounted version)	+3340 euro	+3550 euro	+3765 euro	+5075 euro
Hydraulic adjustment of working depth	+360 euro			+480 euro



Heavy Harrow (CBP)		
Working width (m)	5,5	7,7
Harrow Tines 160x16mm	2025 euro	2290 euro
Harrow Tines 200x20mm	2145 euro	2480 euro
Hydraulic folding/unfolding	Standard	
Support foot	Standard	
Transport security	Standard	
Back Cage Roller fi 320	+715 euro	+955 euro



Drag (WL)			
Working width (m)	4	5	6
Drag 4rows	1215 euro	1385 euro	1500 euro
Hydraulic folding/unfolding	Standard		